



ADHESIVE ROLLS & SPEEDCUT[®]

FROM PROFESSIONALS – FOR PROFESSIONALS

**WORKSHOP OPTIMISED SYSTEM FOR ADHESIVE WEIGHTS
WITH INNOVATIVE CUTTING DEVICE.**

The new multifunctional adhesive rolls guarantee easier storage because a roll provides always the suitable weight. Additionally, all rolls are equipped with the *SPEEDLINER*[®] tape. The engineers of HOFMANN POWER WEIGHT developed also the *SPEEDCUT*[®], a rollholder for the professional use.

The box of the roll and the *SPEEDCUT*[®] match perfectly each other for best work results.

- easy
- fast
- safe



NEW: ADHESIVE ROLLS FOR AL

INNOVATIVE PRODUCT-DESIGN:

EASIER STORAGE DUE TO MULTIFUNCTIONAL ROLLS - ALWAYS THE SUITABLE WEIGHT

- Available in two colours each – silver/black
- No breakline at the tearing edges thanks to the separate segments
- 3 mm fingerlift for easy removal of the protective film

SPEEDLINER® – TECHNOLOGY:

FIRST TIME SPEEDLINER® ADHESIVE TAPE ON ROLLS - RESIDUE-FREE REMOVAL AND STRONG ADHESION IN ONE

- Removeable without leaving traces
- Higher initial tack
- Easy liner removal

TYP 357



The new designed high-performance weight in 3D-optic. Endless adhesive weight with 1.000 coated zinc segments of 5 grams each on a roll.

Features:

- Innovative high-performance weight in 3D-optic
- Clean look for a perfect match with the rim
- Premium coating in OE quality
- Easy to form for better usage at the workshop
- Optimised corrosion resistance thanks to zinc material
- Easy to separate due to *SPEEDCUT*® optimised shape

Height: 3,8 mm

Width: 19 mm

Total weight: 5 kg

Packaging unit: 1 roll/box

Part numbers:
silver 5357-0050-739
black 5357-0053-739

TYP 356



Endless adhesive weight with 1.000 coated zinc segments of 5 grams each on a roll.

Features:

- Premium coating in OE quality
- Easy to form for better usage at the workshop
- Optimised corrosion resistance thanks to zinc material
- Easy to separate due to *SPEEDCUT*® optimised shape

Height: 4,6 mm

Width: 19 mm

Total weight: 5 kg

Packaging unit: 1 roll/box

Part numbers:
silver 5356-0050-739
black 5356-0053-739

UMINIUM RIMS

INTELLIGENT BOX CONSTRUCTION:

BEST WORK RESULTS - BOX AND SPEEDCUT® MATCH PERFECTLY EACH OTHER

- „Anti-roll-back“- function to avoid slipping back of the roll end in the box
- Roll in box ready to use
- Trade-optimised packaging unit
- Environment-friendly packaging without plastic

TYP 355



Steel endless adhesive weight with 1.000 zinc plated and coated segments of 5 grams each on a roll.

Features:

- Premium coating in OE quality

Height: 3,8 mm

Width: 19 mm

Total weight: 5 kg

Packaging unit: 1 roll/box

Part numbers: silver 5355-0050-739
black 5355-0053-739



NEW: SPEEDCUT® AND ACCESSORIES

SPEEDCUT®

Rollholder for all HOFMANN POWER WEIGHT adhesive rolls with integrated weight scale and innovative cutting device.

Features:

- Specifically developed for rolls from HOFMANN POWER WEIGHT
- Robust, practical design with reduced wear parts
- Multifunctional for the installation at the wall, balancing machine or on the floor stand
- Easy refill of rolls
- Easy replacement blade
- Integrated weight scale for measurement

Content: 1 x SPEEDCUT®

Part number: 0401-0023-150



FLOOR STAND WITH ACCESSORIES

Floor stand with accessories for SPEEDCUT® for flexible placement.

Features:

- Specifically developed for the workshop
- Prepared for up to two SPEEDCUT® rollholders (e.g. silver and black)
- Multifunctional sidewall with holes for tools
- Easier working with two integrated waste bins

Content: 1 x floor plate incl. 4 screws,
1 x stand incl. 4 screws for SPEEDCUT®
5 x hooks for the wall with holes
1 x waste bin for weights
1 x waste bin for protective film

Part number: 0401-0023-151



REPLACEMENT BLADE

Blade for SPEEDCUT® in a rack with feeding assistance, easy exchange.

Content: 1 x replacement blade

Part number: 0401-0023-152

WASTE BIN FOR PROTECTIVE FILM

Blade for SPEEDCUT® in a rack with feeding assistance, easy exchange.

Content: 1 x replacement blade

Part number: 0401-0023-154



SPEEDCUT® WITH FLOOR STAND
INCLUDING ACCESSORIES